RHIC CNI Anomaly study (continued)


- Brief summary of anomalous behavior
 - For blue ring

STATE OF THE STATE

- X90-x45 > 0 at injection
- Y45 < 0 at flattop
- If Si-4 is not used, Y45 goes to zero (-t dist also)
- For yellow ring
 - The effect is rather small, but can be seen in both energies
- The ideas to extract direct information for the items above
 - 1. Double ratio (inj/flat) i-th/(inj/flat)all → difference in energy (done)
 - Separate the asymmetry contributions from each detector (get some aspects, in progress)
 - Choose half of detectors (→ plots)
 - Change energy threshold (→ plots)




Blue injection/flattop(1st)



Message

Si-4 (Si-1 also) shows opposite behavior

- Vertical 2
- Spin pattern +-+-+-
- 10/10 runs
- Normalized by total Si




- ■Vertical 1
- ■Spin pattern ++--++--
- ■4/4 runs
- ■Normalized by total Si


Blue flattop(1st)/flattop(2nd)

Message

Every detectors show consistencies



- Vertical 2
- Spin pattern +-+-+-
- 10/9 runs
- Normalized by Total Si




- ■Vertical 1
- ■Spin pattern ++--++--
- ■4/4 runs
- ■Normalized by Total Si

CNI meetin


Yellow injection/flattop(1st)

Message

Si-3 shows opposite behavior



- Vertical 1
- Spin pattern ++--++--
- 11/11 runs
- Normalized by total Si




- ■Vertical 3
- ■Spin pattern +-+-+-
- ■7/7 runs
- ■Normalized by total Si


Yellow flattop(1st)/flattop(2nd)

Message

Mean values are almost overlapping



- Vertical 1
- Spin pattern ++--++--
- 10/19 runs
- Normalized by Total





- ■Vertical 3
- ■Spin pattern +-+-+-
- ■7/7 runs
- ■Normalized by Total


Square root formula for possible detector combinations

STATE OF THE SHARE STATE OF THE

- Create the simultaneous equations with the average numbers, and solve them
- Ex) $[1] [3] = ???x10^{-3}$ [3] - [4] = ???








One set of answers for blue ring flattop

 This calculation is actually equivalent to the quantity
 (U-RD)/(U+RD) R=Lumi(U)/Lumi(D)
 which can provide an absolute contribution (not relative) from each Si

1-3 1.0 x 10 -3
1-4 3.0 x 10 -3
1-6 2.6 x 10 -3
3-4 2.0 x 10 -3
3-6 1.5 x 10 -3
4-6 -0.4x 10 -3
With one more information
$$(1+6) - 3 = 0$$

The equations can be solved




CNI meetin

calculation


Compare the results from

- first half strips
- second half strips
- total counts (original)
- special choice
- •For 90 degree Si, the Center 4 strips are chosen


The same calculation for higher Threshold 500keV (default 400keV)




BLUE injection (400keV)




BLUE flattop (400keV)




Yellow injection (400keV)



Yellow flattop (400keV)



Comparison 400.vs.500keV (BLUE)



Comparison 400.vs.500keV (YELLOW)

STATISTICAL SALES TO AND SALES AND S

